



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/565,598

07/28/2006

Javier Vazquez

GJE-003

2291

21884 7590 08/13/2009
WELSH & FLAXMAN LLC
2000 DUKE STREET, SUITE 100
ALEXANDRIA, VA 22314

EXAMINER

KARACSONY, ROBERT

ART UNIT

PAPER NUMBER

2821

MAIL DATE

DELIVERY MODE

08/13/2009

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/565,598	Applicant(s) VAZQUEZ ET AL.	
	Examiner ROBERT KARACSONY	Art Unit 2821	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 May 2009.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-9, 23 and 24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-9, 23 and 24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 24 January 2006 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on May 12, 2009 has been entered.

Drawings

2. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the “capacitive surface impedance of the first surface,” as claimed in independent claim 1, must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as “amended.” If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either “Replacement Sheet” or “New Sheet”

Art Unit: 2821

pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

3. Claim 24 is objected to because of the following informalities:
4. In line 2, claim 24, please replace “a substrate” with “the substrate.”
5. Appropriate correction is required.

Claim Rejections - 35 USC § 103

6. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

7. Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Qiu et al.* (NPL Document, High-Directivity Patch Antenna with Both Photonic Bandgap Substrate and Photonic Bandgap Cover; 5 July 2001, hereinafter *Qiu*) in view of *Wilhelm et al.* (US 2003/0142036, hereinafter *Wilhelm*).

Claim 1: *Qiu* teaches a device for controlling electromagnetic radiation emitted by a structure, the device having a first surface (PGB cover shown in fig. 1) and a second reactive surface (PGB substrate shown in fig. 1) defining a cavity therebetween, and

an emitter (patch antenna shown in fig. 1) generating electromagnetic radiation between the first surface and the second reactive surface, wherein the electromagnetic radiation within the cavity is radiated into the air through the second reactive surface.

Art Unit: 2821

Qiu fails to explicitly teach the first surface is an equipotential surface and presents a capacitive surface impedance, and the second reactive surface comprises a lattice array of conductors disposed on a dielectric surface such that the displacement between a conductor and any other conductor adjacent to it is small compared to the wavelength of the electromagnetic radiation thereby causing the array of conductors to represent an effectively continuous conductive surface to the electromagnetic radiation, wherein a surface impedance of the second reactive surface is reactive. However, *Qiu* teaches that PGB structures can be a dielectric or a metallic periodic structure (see Part I. Introduction, lines 3-4). *Wilhelm* teaches various configurations of PGBs (see figs. 7, 9, 10 and 17), which include a lattice array of conductors disposed on a dielectric surface such that the displacement between a conductor and any other conductor adjacent to it is small compared to the wavelength of the electromagnetic radiation thereby causing the array of conductors to represent an effectively continuous conductive surface to the electromagnetic radiation. The claim would have been obvious because the substitution of one known element for another would have yielded predictable results to one of ordinary skill in the art at the time of the invention. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have substituted the PGB substrate and PGB cover of *Qiu* with the PGB structures of *Wilhelm* with a reasonable expectation of success, since the substitution of one known element for another would have yielded predictable results to one of ordinary skill in the art at the time of the invention.

Claim 2: *Qiu* teaches the dielectric surface is planar (fig. 1).

Claim 3: The modified invention of *Qiu* in view of *Wilhelm* teaches the electromagnetic radiation has more than one wavelength (paragraph [0012] of *Wilhelm*).

Art Unit: 2821

Claims 5-7: The modified invention of *Qiu* in view of *Wilhelm* teaches the surface impedance of the second reactive surface is inductive, capacitive, or the surface impedance of the second reactive surface is capacitive in some regions of the dielectric surface and inductive in the remaining regions of the dielectric surface (fig. 7 of *Wilhelm*).

Claim 8: The modified invention of *Qiu* in view of *Wilhelm* teaches the magnitude of the surface impedance of the second reactive surface varies at different positions on the dielectric surface (fig. 7 of *Wilhelm*).

Claim 9: The modified invention of *Qiu* in view of *Wilhelm* teaches the conductors of the second reactive surface are substantially periodically disposed with respect to each other on the dielectric surface (fig. 7 of *Wilhelm*).

8. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over *Qiu* in view of *Wilhelm* and *Sievenpiper et al.* (US 2003/0052834, hereinafter *Sievenpiper*).

Claim 4: The modified invention of *Qiu* in view of *Wilhelm* teaches all of the limitations of claim 1, as discussed above, however, fails to teach the electromagnetic radiation has more than one polarization. However, it was well known to the skilled artisan at the time of the invention to provide antenna systems with more than one polarization to enhance antenna reception. *Sievenpiper* teaches suitable antenna systems using high impedance surfaces comprising more than one polarization (fig. 1). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have used more than one polarization with the antenna system of *Qiu*, as taught by *Sievenpiper*, in order to have enhanced the antenna reception.

Art Unit: 2821

9. Claims 1-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Legay* (US 6,927,729, hereinafter *Legay*) in view of *Qiu*.

Claims 1 and 5-9: *Legay* teaches a device for controlling electromagnetic radiation emitted by a structure, the device having a first surface (Ground, see fig. 4) and a second reactive surface (40, see fig. 1) defining a cavity therebetween, the first surface is an equipotential surface, and the second reactive surface comprises a lattice array of conductors (col. 5, lines 25-33) disposed on a dielectric surface such that the displacement between a conductor and any other conductor adjacent to it is small compared to the wavelength of the electromagnetic radiation thereby causing the array of conductors to represent an effectively continuous conductive surface to the electromagnetic radiation, wherein a surface impedance of the second reactive surface is reactive, and

an emitter (41, fig. 4) generating electromagnetic radiation between the first surface and the second reactive surface, wherein the electromagnetic radiation within the cavity is radiated into the air through the second reactive surface.

Legay fails to teach the first surface presents a capacitive surface impedance. However, *Qiu* teaches increasing the directivity by adding a PGB substrate (fig. 3). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have substituted the PGB substrate of *Qiu* with the ground of *Legay* in order to have increased the directivity of the antenna. Although figure 1 of *Qiu* teaches an aperture PGB, *Qiu* teaches PGB structures can be made by metallic periodic structures. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have used a PGB having a

Art Unit: 2821

capacitive surface impedance, since it was known to make PGB structures out of metallic periodic structures.

Claim 2: *Legay* teaches the dielectric surface is planar (fig. 4).

Claim 3: *Legay* teaches the electromagnetic radiation has more than one wavelength (col. 5, line 62).

Claim 4: *Legay* teaches the electromagnetic radiation has more than one polarization (col. 5, lines 58-61).

10. Claims 23 and 24 are rejected under 35 U.S.C. 103(a) as being unpatentable over *Legay* in view of *Qiu* and *Yamamoto et al.* (6,850,205, hereinafter *Yamamoto*).

Claim 23: *Legay* teaches the cavity is formed using a printed circuit board substrate with the second reactive surface being printed on a top layer of the substrate and a bottom layer which forms the first surface as an opposite boundary (fig. 4). *Legay* fails to teach plated through holes forming the sides of the cavity. However, it was well known to the skilled artisan at the time of the invention to form conductive sides out of plated through holes. *Yamamoto* teaches conductive sidewalls can be replaced with plated through holes (figs. 43 and 46). The claim would have been obvious because the substitution of one known element for another would have yielded predictable results to one of ordinary skill in the art at the time of the invention. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have substituted the sidewalls of *Legay* with plated through holes, since the substitution of one known element for another would have yielded predictable results to one of ordinary skill in the art at the time of the invention.

Claim 24: *Legay* teaches the emitter is printed on an inner layer of the substrate (fig. 4).

Response to Arguments

11. Applicant's arguments with respect to claims 1-9, 23 and 24 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

12. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Legacy et al. (US 6,061,027) teaches radiating structure comprising a reactive surface and emitter within a cavity.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to ROBERT KARACSONY whose telephone number is (571)270-1268. The examiner can normally be reached on M-F 7:30 am - 5:00 pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Douglas W. Owens can be reached on 571-272-1662. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2821

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/R. K./

Examiner, Art Unit 2821

/Hoang V Nguyen/

Primary Examiner, Art Unit 2821